

Section 1. General Information

Manufacturer Name: U.S. AG LLC. Date Prepared: 03/06/09
542 Wilson Rd.
Luthersville, GA 30251

Product Name: **Sur-Tec**
Chemical Name: Sulfuric Acid
Product Class: mixture (see Section 2)

Section II: Composition and Information

Ingredient	CAS Number	Approx. Wt.
Sulfuric Acid	007664-93-9	<10%

Section III. Emergency Hazardous Summary

None Dot Class: 70

Section IV. Physical and Chemical Characteristics

Physical State:	Liquid	PH:	0.4
Boiling Point:	212 °F	Solubility in water:	Complete
Melting Point:	N/A	Wt. per gal:	11 - 11.2 #
Vapor Pressure:	N/A	Appearance & Odor:	Red & Typical
Vapor Density:	N/A	Evaporation Rate:	N/A

Section V. Fire and Explosion Hazard Data

Flashpoint: Non-flammable Extinguishing Media: This product does not support combustion
Special Firefighting Techniques: None Unusual fire & Explosion Hazard: None

Section VI. Reactivity Data

Stability:	Stable	Incompatibility (materials to avoid):	None
Hazardous decomposition products:	None	Conditions to avoid:	None

Section VII. Health Hazard Data

Routes of entry:	Ingestion	Health Hazards:	None
Effects of overexposure:	Acute/None		
Chronic	None Anticipated		
Acute Oral LD50:	N/A		

Preventative measures and Personal Protection

-Intended for plant and/or soil use. Not for human or animal consumption.

Eyes:	Flush with clean water for 15 minutes. If irritation persists, consult a physician. As with all chemicals, eye protection should be used.
Skin:	Wash with soap and water. If irritation develops, consult physician.
Ingestion:	If ingested consult a physician immediately. Do not induce vomiting.
Inhalation:	Use in well ventilated area, however if symptomatic, remove to fresh air. Consult a physician.

Section VIII. Precautions For Safe Handling & Use

Spills or releases:	Absorb product with oil dry or cat litter. Flush area with water.
Waste Disposal:	To be performed in compliance with all federal, state and local regulations
Precautions in handling/storage:	None

Section IX. Special Precautions

Product is not damaged by freezing other than container breakage due to expansion. Avoid prolonged storage above 120°F. As with all products compatibility tests should be conducted prior to mixing with any chemicals.

Section X. Special Production Information

Special ventilation:	None required
Personal Protection:	Safety goggles recommended
Gloves (latex or butyl) recommended	
Other:	N/A
Monitoring exposures:	None

Section XI. Special Precautions and Comments

The above furnished information is believed to be correct on the date it was published. This MSDS is provided without any warranty expressed or implied. Users should consider this data as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment.